

INTERFERENCE SEARCHED.

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	21	455/466.ccls. and pre\$1determined near3 rout\$3 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:52
L2	100	(455/406.ccls. 455/466.ccls.) and sms near3 messag\$3 same (bill\$3 charg\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:53
L3	13	(455/466.ccls. 455/426.1.ccls.) and e\$1mail near servers and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:53
L4	53	e\$1mail near (server farm) and (cost\$1 bill\$4 charg\$4) same routing near (server\$1 table database) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:54
L5	13	(455/456.1-456.3.ccls. 455/405.ccls.) and call same operator same direction and @ad<"20040601"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:57
L6	5	(455/466.ccls. 455/426.1.ccls.) and SMS same rout\$4 same authorized and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:00
L7	0	(sms and messag\$4 and internt and database and authorization and recipients)".clm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:00
L8	417	(sms and messag\$4 and internet and database and authorization and recipients)".clm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:00
L9	132	(sms and messag\$4 and internet and database and authorization and recipients and account and debit)".clm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:01
L10	53	(sms and messag\$4 and internet and database and authorization and recipients and account and debit and routing and cross\$1referenc\$4)".clm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:03
L11	6	(sms and messag\$4 and internet and database and authorization and recipients and account and debit and routing and cross\$1referenc\$4 and bridge)".clm"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:04
L12	6	(sms and messag\$4 and internet and database and authorization and recipients and account and debit and routing and cross\$1referenc\$4 and bridge)".clm."	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:05

EAST Search History

L13	0	(sms and smsc and messag\$4 and internet and database and authorization and recipients and account and debit and routing and cross\$1referenc\$4 and bridge)".clm."	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:05
L14	2	(sms and smsc and messag\$4 and internet and database and authorization and recipients and account and debit and routing and cross\$1referenc\$4)".clm."	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 11:05
S1	2	"6611516".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 13:21
S2	2	"20050117602"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 15:01
S3	98	455/466.ccls. and pre\$1determined same rout\$3 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 15:02
S4	19	455/466.ccls. and pre\$1determined near3 rout\$3 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:52
S5	433	(SMS e\$1mail message\$1) near5 pre\$1determined near3 (path rout\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 15:50
S6	126	(send\$3 transmit\$4 forward\$4) near5 (SMS e\$1mail message\$1) near5 pre\$1determined near2 (path rout\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 15:54
S7	59	("455".clas. "370".clas.) and (send\$3 transmit\$4 forward\$4) near5 (SMS e\$1mail message\$1) near5 pre\$1determined near2 (path rout\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:00
S8	2	"20030119532"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:01
S9	22	"6314108"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:01
S10	2	"6314108".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:02
S11	2	"20050083918"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:02

EAST Search History

S12	1	10/686820	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:43
S13	201	(455/466.ccls. 455/426.1.ccls.) and SMS same rout\$4 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 16:56
S14	34	(455/466.ccls. 455/426.1.ccls.) and SMS same rout\$4 same internet and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 17:09
S15	5	(455/466.ccls. 455/426.1.ccls.) and SMS same rout\$4 same authorized and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:59
S16	0	455/466.ccls. and SMS same authoriz\$4 near3 destination and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 17:12
S17	35	455/466.ccls. and SMS same authoriz\$4 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 17:12
S18	2	455/466.ccls. and SMS same authoriz\$4 near5 receiv\$4 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 17:17
S19	25	SMS same authoriz\$4 near5 receiv\$4 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 11:48
S20	75	SMS near message\$1 same gate\$1way\$1 same internet and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 18:32
S21	35	SMS near message\$1 same gate\$1way\$1 same internet same server and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/26 18:32
S22	290	(user\$1 subscriber\$1) same (enter\$3 designat\$3 specif\$3) same (allow\$2 block\$2 barred barring) near4 (list table) same (server\$2) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 11:55
S23	35	"455".clas. and (user\$1 subscriber\$1) same (enter\$3 designat\$3 specif\$3) same (allow\$2 block\$2 barred barring) near4 (list table) same (server\$2) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 11:55
S24	30	"455".clas. and (user\$1 subscriber\$1) near5 (enter\$3 designat\$3 specif\$3) same (allow\$2 block\$2 barred barring) near4 (list table) same (server\$2) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:00

EAST Search History

S25	743	(user\$1 subscriber\$1) near5 (enter\$3 designat\$3 specif\$3) near4 (allow\$2 block\$2 barred barring) near4 (list table) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:01
S26	8	(user\$1 subscriber\$1) near5 (enter\$3 designat\$3 specif\$3) near4 server near7 (allow\$2 block\$2 barred barring) near4 (list table) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:03
S27	0	(user\$1 subscriber\$1) near5 (enter\$3 designat\$3 specif\$3) near4 server near7 call near4 (authorized allow\$2 block\$2 barred barring) near2 (list table) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:04
S28	8	(user\$1 subscriber\$1) near10 server near7 call near4 (authorized allow\$2 block\$2 barred barring) near2 (list table) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:06
S29	6	(user\$1 subscriber\$1) near3 specifies near4 (authorized allow\$2) near2 (list table) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 12:08
S30	1	(user\$1 subscriber\$1) near3 specifies near4 (authorized allow\$2) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:19
S31	0	(user\$1 subscriber\$1) near3 specifies near4 (authorized allow\$2 pre\$1determined) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:22
S32	10096	(authorized allow\$2 pre\$1determined) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:22
S33	3740	(authorized allow\$2) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:22
S34	35	(unauthorized unwanted) same calls same (authorized allow\$2) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:25
S35	1	(unauthorized unwanted) same calls same (specifie\$2 control\$2 enter\$2) near5 (authorized allow\$2) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:27
S36	41	calls same (specifie\$2 control\$2 enter\$2) near5 (authorized allow\$2) near2 (numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:50

EAST Search History

S37	244	(specif\$4) near5 (authorized allow\$2 barred) near2 (\$7numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:51
S38	15	"455".clas. and (specif\$4) near5 (authorized allow\$2 barred) near2 (\$7numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 13:51
S39	10	server same (specif\$4) near5 (authorized allow\$2 barred) near2 (\$7numbers) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:12
S40	2	"6370389".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:13
S41	2	"6333973".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:14
S42	2	"6292668".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:14
S43	2	"5943399".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:15
S44	2	"6389039".pn.	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/27 14:15
S45	348	sms near3 messag\$3 same (bill\$3 charg\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 11:35
S46	87	(455/406.ccls. 455/466.ccls.) and sms near3 messag\$3 same (bill\$3 charg\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:53
S47	31	(455/406.ccls. 455/466.ccls.) and sms near3 messag\$3 near7 (bill\$3 charg\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 11:39
S48	2	(455/426.1.ccls.) and sms near3 messag\$3 near7 (bill\$3 charg\$3) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 11:39
S49	2	455/466.ccls. and store near4 message same user near5 (retrieves) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 13:41
S50	152	455/466.ccls. and store near4 message and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 13:41
S51	9	455/466.ccls. and store near4 message with retrieve\$1 and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 15:37

EAST Search History

S52	1	10/686820	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 15:43
S53	25	455/466.ccls. and SMS same server\$1 near5 (multiple plurality many numerous')	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 15:43
S54	25	455/466.ccls. and SMS same server\$1 near5 (multiple plurality many numerous)	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 15:43
S55	13	455/466.ccls. and SMS same server\$1 near5 (multiple plurality many numerous) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 15:47
S56	23	"455".clas. and SMS same server\$1 near3 (multiple plurality) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 16:09
S57	128	SMS same server\$1 near3 (multiple plurality) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 16:10
S58	105	S57 not S56	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/07/28 16:10
S59	3	(455/456.1-456.3.ccls. 455/405.ccls.) and direction near3 assistance and @ad<"20040601"	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/08/01 11:29
S60	13	(455/456.1-456.3.ccls. 455/405.ccls.) and call same operator same direction and @ad<"20040601"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:57
S61	3	09/985032	US-PGPUB; USPAT; DERWENT	OR	OFF	2006/11/20 16:09
S62	17	("20010006897" "20020029189" "20020112014" "5606595" "5887249" "5915222" "5920822" "5946629" "5946630" "6041045" "6085100" "6208870" "6230009" "6370390" "6393014" "6400942" "6535746").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/11/20 16:09
S63	1	10/686820	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/03/31 17:36
S64	2	"20020112014"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/03/31 17:36
S65	33	(SMS short near message) same (different another other) near network same internet	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/05/01 15:47

EAST Search History

S66	7	(transmi\$7 send\$3 forward\$3) near4 (SMS short near message) same (different another other) near network same internet	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/05/01 15:50
S67	13	(transmi\$7 send\$3 forward\$3) near4 (text near message\$1 SMS short near message) same (different another other) near network same internet	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/05/01 15:51
S68	13	(455/466.ccls. 455/426.1.ccls.) and e\$1mail near servers and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:53
S69	6	(455/466.ccls. 455/426.1.ccls.) and e\$1mail near servers and (cost\$1 bill\$4 charg\$4) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/10/15 12:47
S70	0	"455".clas. and e\$1mail near servers and (cost\$1 bill\$4 charg\$4) same routing near (table database) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/10/15 12:47
S71	33	e\$1mail near servers and (cost\$1 bill\$4 charg\$4) same routing near (table database) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/10/15 13:04
S72	57	e\$1mail near rout\$4 and (cost\$1 bill\$4 charg\$4) same routing near (server\$1 table database) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/10/15 13:07
S73	52	e\$1mail near (server farm) and (cost\$1 bill\$4 charg\$4) same routing near (server\$1 table database) and @ad<"20021017"	US-PGPUB; USPAT; DERWENT	OR	OFF	2007/12/10 10:54